







ESD12VLZA

Maximum Ratings

PARAMETER	SYMBOL	LIMITS	UNIT
3 HDN SXOVH ₅ SRZHW W	3 _{SN}		:
3 HDN SXOVH ₅ FXUUHQW W	3 ₃		
(6' DFFRUGLQJ WR ,(& DLU GLVFKDUJH	9 _{(6'}	"	N 9
(6' DFFRUGLQJ WR ,(& FRQWDFW GLVFKDUJH		"	
-XQFWLRQ WHPSHUDWXUH	-	7	R&
2SHUDWLQJ WHPSHUDWXUH	2 ₃	7 a	R&
6WRUDJH WHPSHUDWXUH	6 ₇ *	7 a	R&

Electrical Characteristics


PARAMETER	Symbol	UNIT	Conditions	Min	Typ	Max
5HYHUVH PD[LXP ZRUNLQJ YROWD ₅ JH		9	9			
5HYHUVH OHDNDJH FXUUHQW	5	Q\$	, 5 ₉₀ 9			
5HYHUVH EUHDNGRZQ YROWD ₅ JH	9 _{%5}		%5 P\$ 9			
)RUZDUG YROWD ₅ JH	)	9	) P\$ 9			
&ODPSLQJ ¹ YROWD ₅ JH	9 _{&/}	9	3 ₃ \$ _S W Q V			
'\QDPLF UHV ₅ LVWDQFH	5 _{<1}					
&ODPSLQJ ² YROWD ₅ JH	9 _{&/}		(6' N 9 9			9
&ODPSLQJ ³ YROWD ₅ JH	&/	9	3 ₃ \$ _S W V			9
		9	3 ₃ \$ _S W V			
-XQFWLRQ FDSDFLWDQFH	-	S)	9 9 I 0+] &			
		S)	9 9 I 0+] &			

1RWHV

7/3 SDUDPHWHUW = QV "W 0 " 7 0+ A`0À " HBaRWH`i"9 6

v & K D U D F W H Ø \ S L V 7 D Ø V

) L J V Z D P 7 S I H R W , (&





ESD12VLZA

Disclaimer

7KH LQIRUPDWLRQ SURYLQDWHV LQ IRXU LKHHQJH QKH BQJMLH (OHFWURQLF 7HHKQRO
ULJKW WR PDNH FKDLQH VRZLWKRXWSKRLSLURGXFRQVGLWSOD\HG KHUHLQ WRGLHPSLURY
RU RWKHUZZLVH

7KH SURGXFW OLVWHG KHUHLQ LV GHVLJQHG WR RFEHTXVLSEHZLWK RIRUGHLQFHVWIDQG
HTXLSPHQW RU GHYLFHV ZKLFK UHTGLW KHKEJDOXHQFHVGRQURHOLMDLQDQVDDQFHU DXP
PHGLFDO LQVWUXPHQW VHW WLSRQHQRUWHUWV SQXFOHDEKWLQDFWHUOFRQQWURERODHU V
GHYLFHV <DQJMLH RU DQIRQH RQ LWVOE WKDQ OLVEXLHLW QRWHQSRQVLEBJHVHUV
RIVDOH

7KLV SXEOLFDWLRQ SXOSSHUWIDGIDLQURUPDWSLSQLSGHYLRXDGGLWLRQDO LQWRUPDWLR
KWV [VZZ](#) [\DQJMLH](#) RFRPRQVXOWIRXU QHDUHVW <DQJMLH\QVFBIOHV RILFH IRU IXUW