



ESD1502ESQ


Maximum Ratings

PARAMETER	SYMBOL	LIMITS	UNIT
3H DN SXOVH SRZHV W	3 _{SN}		:
(6' DFFRUGLQJ WR ,(& DLU GLVFKDUJH	9(6' GLVFKDUJH	"	.9
(6' DFFRUGLQJ WR ,(& FRQWDFW		"	
-XQFWLRQ WHPSHUDWXUH	-	\bar{a}	
6WRUDJH WHPSHUDWXUH	67*	7a	




ESD1502ESQ

vOutline Dimensions



vMarking Information



1 RWH



ESD1502ESQ

Disclaimer

7KH LQIRUPDWLRQ SGRFWRUHQW LQ IRU KLW DQJXHQH BQQMLH (OHFWURQLF 7HFKQRO
ULJKW WR PDNH FKDLFH VRZL WKRXWSKRLSLURDGXIERQV RGLWSOD\HG KHUHLQ WURGLPVLURQ
RU RWKHUZLVH

7KH SURGXFWWRUHQW KLW DQJXHQH WR EH MHHGHZVNDH DQJXHQH WLVYJQH IRU XVH LQ PHG
VDYLQJ OLIHVXVWRDQJXHQH WR UPDQVQH BQVXPHVHQK UHVSREOLEWLRW\ BQWGPDUH
P VXFK LPSURSHU XVH RI VDOH

7KLV SXEOLFDWLRQ SVXDFHUW DQJXHQH URQPDVSLRQ LSGHYLURXDG GLWLRQDO LQWRUPDWLR
KWW [VZ](#) [\DQJMLHRFR](#) PRQVXOW \RXU QHDUHVW <DQJMLVHM\QVFB\OHV RILFH IRU IXUW