


Low Forward Voltage Drop
Automotive



8QOHVV RWKHU¹LVH VSHFLILHG

				WR



v Ä 7D 8QOHVV RWKHUÄLVH VSHFLILHG





Ω

Fig.1: P_D-T_A




Fig.2: Capacitance Characteristics




Fig.3: Forward Characteristics







Fig.4: Reverse Characteristics






v



DIMENSIONS				
DIM	INCHES		MM	
	MIN	MAX	MIN	MAX
A	0.059	0.067	1.500	1.700
B	0.043	0.051	1.100	1.300
C	0.700	0.900	0.028	0.038
D	0.250	0.350	0.010	0.014
E	0.050	0.200	0.002	0.005
F	0.000	0.000	0.020	0.028



\$OO PDUNLQJ LV LQ ODVHU PDUNLQJ %RG\ FRORU %ODFN
--



VXVWDLQLQJ RU RIUODVDRQH RQJMMW QHKDBVSBRQWLEHOLW\ RU OLDELOLWXFRU DQ\ LPSURSHU XVH RI VDOH

7KLV SXEOLFDWLRQ SXODSHUW IDGJVLQURUPDWSLROQLSGHYRURXDGGLWLRQDO LQWRHUPDWLRKWW [VZZ \DQJMLHRFR](#) PRQVXOW \RXU QHDUHVW <DQJMLHWRQVFBIOHV RIILFH IRU IXUW