



# Schottky Diodes



## Features

```
" +LJK IUHTXHQF\ RSHUDWLRQ
"/RZ IRUZDUG YROWDJH GURS
"+LJK SXULW\ KLJK WHPSHUDWXUH HSR[\ HQ
HQKDQFHG PHFKDQDEG PWWXQWUH UHVLVWD
"*XDUG ULQJ IRU HQDQFHG GURJGWHUP UH
"6ROGHU GLS f & PD[ V SHU -(6' %
```

## Typical Applications

7\SLFDO DSSOLFDWLRQV DUH LQ VZLWFKLQJ S  
IUHHZKHHOLQJ GLRGHV DQG UHYHUVH EDWW

## Mechanical Data

```
"Package 72 $%
0ROGLQJ FRPSR%QG PHHODVPPDELOLW\
UDWLQJ 5R+6 FRPSOLDQW
"Terminals 50C50 G P0020E10G0M0S"BN04C"Ge",No16C"Hi6$2E"tiUq
```

| PARAMETER | SYMBOL | UNIT | TEST CONDITIONS | Min | Typ | Max |
|-----------|--------|------|-----------------|-----|-----|-----|
|           |        |      |                 |     |     |     |
|           |        |      |                 |     |     |     |
|           |        |      |                 |     |     |     |
|           |        |      |                 |     |     |     |
|           |        |      |                 |     |     |     |







# MBR60200PT

## Disclaimer

7KH LQIRUPDWLRQ SURFYLQJ LQ IRXUHQDIJHQKQK BQJMLH (OHFWURQLF 7HHKQRO  
ULJKW WR PDNH FKDLQHVRZLWKRXWSKRLSURGXFWV GLWSOD\HG KHUHLQ WRGLHPSURY  
RU RWKHUZZLVH

7KH SURGXFW OLVWHG KHUHLQ LV GHOLFHWRWRFEHTXVLSBHZLWKRURGLYLQFHUWIDQG  
HTXLSPHQW RU GHYLFHV ZKLFK UHTGLWKKKEJDOXHQFWOGRQLHHOLWNLGRVODQFHU  
PHGLFDO LQVWUXPHQWVITWLSQHQRUWHUWVSDXHOHDEKULQDFWRUPGRQWQSRHU