



DBL151pTHRU DBL157

Bridge Rectifiers

ppppppppppppppppes

Polarity: As marked on body

Maximum Ratings (Ta 1 25 Unless otherwise specified)

PARAMETER	SYMBOL	UNIT	DBL151	DBL152	DBL153	DBL154	DBL155	DBL156	DBL157
Device marking code			DBL151	DBL152	DBL153	DBL154	DBL155	DBL156	DBL157

Maximum Repetitive Peak Reverse Voltage V



DBL151 THRU DBL157

Thermal Characteristics T_a 1 25 Unless otherwise specified

PARAMETER	SYMBOL	UNIT	DBL151	DBL152	DBL153	DBL154	DBL155	DBL156	DBL157
Typical Thermal Resistance	R θ -A	/W	4 " \$						
	R θ -L		15 " \$						
	R θ -C		, " \$						

Note: Device mounted on P " C " B with 35mm \times 25mm \times 1 " 7mm

Ordering Information (Example)

PREFERED P/N	PACKING CODE	UNIT WEIGHT(g)	MINIIMUM PACKAGE(pcs)	INNER BOX QUANTITY(pcs)	OUTER CARTON QUANTITY(pcs)	DELIVERY MODE
--------------	--------------	----------------	-----------------------	-------------------------	----------------------------	---------------



DBL151 THRU DBL157

Outline Dimensions

DBL		
Dim	Min	Max
A	6 " 2 \$	6 " 5 \$
B	7 " 6 \$, " \$
C	5 " \$ \$	5 " 2 \$
D	, " 13	, " 51
E	\$ " 46	\$ " 5 ,
F	2 " 35	2 " 45
G	\$ " 22	\$ " 33
H	3 " , 1	4 " 6
I	1 " 3 -	1 " - \$
>	1 " 27	2 " \$ 3
K	\$ " , -	1 " 14
L	7 " 24	, " \$ \$

Dimensions in millimeters



DBL151 THRU DBL157

Disclaimer

The information presented in this document is for reference only. Yangn Hou Yang ^ ie Electronics Technology Co " ħ Ltd " reserves the right to make changes without notice for the specification of the products displayed herein to improve reliability ħ functionality or otherwise "

The product listed herein is designed to be used with ordinary electronic equipment or devices ħ and not designed to be used with equipment or devices which require high level of reliability or malfunction of which would directly endanger human life (such as medical instruments ħ transportation equipment ħ aerospace machinery ħ nuclear-reactor controllers ħ fuel controllers and other safety devices) ħ Yang ^ ie or anyone on behalf ħ assumes no responsibility or liability for any damages resulting from such improper use of sale "

This publication supersedes and replaces all information previously supplied " For additional information ħ please visit our website [http://www.21yang ^ ie .com](http://www.21yang^ie.com) or consult your nearest Yang ^ ie D's sales office for assistance "